

Pattern Reference



Actual Size




Tri-Plex II (1852)

Product Quick Specs

Style Name/Number	Tri-Plex II 1852
Color Name/Number	Times A Lady 2292
Construction	Textile Composite
Selected Backing	Polyester Felt Cushion
Dye Method	Solution Dyed
Fiber Type	Polyester - Applied Pattern
Face Weight	12 oz./sy (407 grams/m2)
Pattern Repeat	N/A
Dimensions	24" x 24" modules
Standard Adhesive	Kinetex Adhesive
Optional Adhesive	Kinetex PreFix
Smoke Density	Less then 450 flaming
Static Test	Less then 3 kv
Standard Warranties	Kinetex Kinetex Adhesive
Optional Warranties	PreFix




Products Installed



Tri-Plex II 1852 Modular
2292 Times A Lady



Installation Method




Brick (24x24)

This three dimensional rendering is for visualization purposes only and may not be an exact representations of the selected products. Pile heights may vary from product to product and adhesive requirements may vary depending on product selection. The review of actual product samples are recommended before final selection. Please contact your J+J Flooring Group sales representative with any questions. This unique carpet design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.



Keys



Tri-Plex II 1852 Modular
2292 Times A Lady



Pattern Diagram

