



Weathered Steel Modular (7945)

Product Quick Specs

Style Name/Number	Weathered Steel Modular 7945			
Color Name/Number	Basalt 324			
Construction	Textured Patterned Loop			
Selected Backing	Nexus® Modular			
Dye Method	Beck Dyed			
Fiber Type	Type 6,6 Nylon			
Face Weight	33 oz./sy (1119 grams/m2)			
Pile Density	7425 oz./y3 (275.32 kg/m3)			
Pattern Repeat	N/A			
Gauge	1/12 (4.72 rows/cm)			
Stitches	11.7 stitches/in (4.61 stitches/cm)			
Standard Size	24" x 24" approx. 60.96cm x 60.96cm			
Standard Adhesive	Commercialon Premium Modular Adhesive			
Optional Adhesive	TileTabs			
Smoke Density	Less then 450 flaming			
Static Test	Less then 3 kv			
Standard Warranties	Nexus Modular Commercialon Adhesive for Modular Carpet & LVT			
Optional Warranties	Tile Tabs			

J+J FLOORING



Products Installed



Weathered Steel Modular 7945 Modular 324 Basalt

carpet

Installation Method



Brick (24x24)

This three dimensional rendering is for visualization purposes only and may not be an exact representations of the selected products. Pile heights may vary from product to product and adhesive requirements may vary depending on product selection. The review of actual product samples are recommended before final selection. Please contact your J+J Flooring Group sales representative with any questions. This unique carpet design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.




Keys



Weathered Steel Modular 7945 Modular 324 Basalt





Pattern Diagram

P	A /		A		4		A	
/	* /		\	*		*		
\	A		A		A	A		
*	1	*		*		*		
A	Α A		4	A		A		
/	* /				\	*		
•	A		A		A			
*	*		*		*			