J+J FLOORING







Tweed (7083) Product Quick Specs

Style Name/Number	Tweed 7083
•	1
Color Name/Number	Stitch 2978
Construction	Textured Loop
Selected Backing	Nexus [®] Modular
Dye Method	Solution Dyed
Fiber Type	Encore® SD Ultima® (with recycled content)
Face Weight	25 oz./sy (848 grams/m2)
Pile Density	14178 oz./y3 (525.73 kg/m3)
Pattern Repeat	N/A
Gauge	1/10 (3.94 rows/cm)
Stitches	10 stitches/in (3.94 stitches/cm)
Standard Size	12" x 48" approx. 30.48cm x 30.48cm
Standard Adhesive	Commercialon Premium Modular Adhesive
Optional Adhesive	TileTabs
Smoke Density	Less then 450 flaming
Static Test	Less then 3 kv
Standard Warranties	Encore SD Ultima Fiber Nexus Modular Commercialon Adhesive for Modular Carpet & LVT
Optional Warranties	Tile Tabs





Products Installed



Tweed 7083 Modular 2978 Stitch



Installation Method



Parquet (12x48)

This three dimensional rendering is for visualization purposes only and may not be an exact representations of the selected products. Pile heights may vary from product to product and adhesive requirements may vary depending on product selection. The review of actual product samples are recommended before final selection. Please contact your J+J Flooring Group sales representative with any questions. This unique carpet design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.



Keys



Tweed 7083 Modular 2978 Stitch





Pattern Diagram

